



MATERIAL SAFETY DATA SHEETS

Page

1 of 6

SECTION I: PREPARATION IDENTIFICATION AND COMPANY INFORMATION

MANUFACTURER'S NAME: ENTITY BEAUTY INC.

EMERGENCY TELEPHONE NO: 1 800 535 5053

ADDRESS: 440 W. ONTARIO STREET
CHICAGO, IL 60654 USA

INFORMATION CONTACT: INFOTRAC

PRODUCT CODE:

ENTITY'S FORMULA NUMBER: CONFIDENTIAL

PRODUCT TYPE: **NAIL COATING**

FAMILY: UV GELS

PRODUCT USE: NAIL GEL

TRADE NAME: ENTITY ONE GEL UV TOP COAT

ISSUED: 22 JUNE 2007 (REVISION 1)

SECTION II: COMPOSITION AND INGREDIENT INFORMATION

<u>CAS Number</u>	<u>EINECS#</u>	<u>U. S. INCI</u>	<u>EU INCI</u>	<u>R Phrase</u>	<u>S Phrase</u>
Not known	None	Polyurethane acrylate oligomer	Polyurethane acrylate oligomer	none	none
109-17-1	203-653-1	PEG-4 dimethacrylate	PEG-4 dimethacrylate	none	none
97-63-2	202-597-5	Ethyl methacrylate	Ethyl methacrylate	11,36/37/38, 43	2,9,16, 29,33
947-19-3	213-426-9	Hydroxycyclohexyl phenyl ketone	Hydroxycyclohexyl phenyl ketone	none	none
81-48-1	201-353-5	Violet 2	Violet 2	none	none

Hazard Symbols: Xi F

Safety Phrases: S2, S9, S16, S29, S33 Risk Phrases: R11, R36/37/38, R43

<u>Chemical Identity</u>	<u>Exposure</u> OSHA TWA/STEL	<u>Limits</u> ACGIH TWA/STEL	<u>Carcinogen</u> IARC/NTP/OSHA	<u>%</u>
Polyurethane acrylate oligomer	N/E	N/E	Not listed	70-75
PEG-4 dimethacrylate	N/E	N/E	Not listed	15-20
Ethyl methacrylate	100 ppm	100 ppm	Not listed	5-10
Hydroxycyclohexyl phenyl ketone	N/E	N/E	Not listed	1-3
Violet 2	N/E	N/E	Not listed	0-1

N/E =None Established

SECTION III: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Flammable liquid and vapour!
- May cause eye irritation. May cause respiratory irritation.
- May cause skin irritation.
- May cause skin sensitization
- Risk phrases - **R11: highly flammable**, **R36/37/38: Irritating to eyes, respiratory system and skin**, **R43: may cause sensitization by skin contact**
- Please read entire MSDS for additional information.



**Potential Health Effects, Signs and Symptoms of Exposure:**

Primary Route of Entry: Inhalation, skin, eyes, ingestion

Eye: Vapour or liquid exposure may cause irritation of eyes. Symptoms of exposure may include stinging, tearing and/or redness.

Skin: Liquid concentration may cause skin irritation. Repeated or prolonged contact may cause skin sensitization.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation: High vapour concentrations may irritate the respiratory system. Prolonged exposure can lead to dizziness and suffocation.

Chronic Health Effects Unlikely to present a cancer hazard in man.

NOTE: Refer to Section 11, Toxicological Information for Details

SECTION IV: FIRST AID MEASURES

First Aid for Eye: Flush with water for 15 minutes, including under eyelids. Seek medical attention if discomfort persists.

First Aid for Skin: Wash thoroughly with soap and water. Remove contaminated clothing and wash before re-use. Seek medical attention if discomfort persists.

First Aid for Inhalation: Remove to fresh air. Seek medical attention immediately. If having breathing difficulty, give oxygen.

First Aid for Ingestion: Seek medical advice immediately. Remove to fresh air. Rinse out mouth with water or induce vomiting only if directed by a physician. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep head below hips to avoid aspiration into lungs.

SECTION V: FIRE FIGHTING MEASURES

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Pensky-Martin: 110°F/43°C	No data	No data

Method: UN number: UN1263

Extinguishing Media: Foam, carbon dioxide, dry chemical

Fire Fighting Instructions: Remove all ignition sources. Wear self-contained breathing apparatus and full protective clothing. Water spray or running water may be used to keep fire-exposed containers cool.

Unusual Hazards: Flammable. High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.



SECTION VI: ACCIDENTAL RELEASE MEASURES

Spill or Release Procedures: Eliminate all sources of heat and ignition. Use suitable protective clothing. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush to sewer - although product is not labelled as dangerous to the environment

EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapours, to protect personnel attempting to stop leak, and to flush spills away from exposures.

US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. .

SECTION VII: HANDLING AND STORAGE

Handling: Keep away from heat, sparks and other sources of ignition. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use with adequate ventilation. Follow all MSDS/label precautions even after container is emptied because it may retain product residues. Wash thoroughly after handling.

Storage: Store in a cool, dry area. Keep container closed when not in use. Store at ambient temperatures out of direct sunlight. Store in a well ventilated place. Store in accordance with National Fire Protection Association recommendations.

Explosion Hazard: Avoid ignition sources or excessive temperatures. Closed containers may rupture explosively.

SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTIVE EQUIPMENT

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.

Personal Protective Equipment

General: To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) or UK CoSHH regulations (or other appropriate EU legislation) be conducted before using this product.

Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole bodysuit. Nitrile rubber is better than PVC.

For professional use in beauty salons, the use of a fan is recommended to provide fresh air supplies to operator.

Eye/ Face Protection: Always check suitability of equipment with the supplier. Wear safety glasses. Wear coverall chemical splash goggles and face shield when possibility exists for eye and face contact due to splashing or spraying material.



MATERIAL SAFETY DATA SHEETS

Skin Protection: Use impermeable clothing to prevent any contact with this product, such as gloves, apron, boots, or a whole body suit. Neoprene and nitrile rubber is better than PVC.

Respiratory Protection: A NIOSH/MSHA approved air purifying respirator with an organic vapour cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits.

Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN 149 approved full-face piece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard 149.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Odour & Odour Threshold	pH	Specific Gravity	Viscosity	% Volatile -	Solubility In Water (20°C)
Clear, semi-viscous liquid	Acrylate odour	N/A	(H ₂ O=1): 1.15	N/A	<0.5% by volume	insoluble
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient	Vapour Pressure:	Vapour Density	Evaporation Rate	Ignition
N/DA	N/DA	N/A	mm Hg: <0.01 @ 20°C	(Air=1): N/DA	Isopropyl alcohol = 1 : N/DA	N/A
Flash Point (°F/°C)		Flammable Limit (vol%)		Auto-ignition Temperature (vol%)		
Pensky-Martin: 110°F/ 43°C		No data		No data		

SECTION X: STABILITY AND REACTIVITY

<p>Stability: Chemically stable under normal conditions</p> <p>Hazardous Decomposition Products: Oxides of nitrogen, carbon.</p> <p>Conditions to Avoid: Storage < 100°F/38°F, exposure to light, loss of dissolved air, loss of polymerization inhibitor,contminations with incompatible materials.</p>	<p>Incompatibility (Materials to Avoid): Polymerization initiators including peroxides, strong oxidizing agents, copper alloys, carbon steel, iron, rust and strong bases.</p> <p>Hazardous Polymerization: May occur – Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION XI: TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
No data	No data	No data	ethyl acrylate is an irritant	ethyl acrylate is an irritant
Sensitisation		Mutagenicity		Sub-chronic Toxicity
ethyl acrylate may cause skin sensitization		No data		No data



MATERIAL SAFETY DATA SHEETS

SECTION XII: ECOLOGICAL INFORMATION

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
No data	No data	No data	No data	No data

Chemical Fate Information

Biodegradability	No data
Chemical Oxygen Demand	No data

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

SECTION XIII: DISPOSAL CONSIDERATIONS

Dispose of diking and absorbent materials in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.



Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to an approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements

SECTION XIV: TRANSPORT INFORMATION

DOT (49 CFR 172)	
Proper Shipping Name:	Flammable liquids, n.o.s., (ethyl methacrylate, acrylic esters), 3, PGIII
Identification Number:	UN1993
Marine Pollutant:	No
Special Provisions:	T8, T31
Emergency Response Guidebook (ERG) #:	128
IATA (DGR):	
Proper Shipping Name:	Flammable liquids, n.o.s., (ethyl methacrylate, acrylic esters), 3, PGIII
Class or Division:	3
UN or ID Number:	UN1993
Packaging Instructions:	PGII
Emergency Response Guidance (ICAO)#:	305, 307
IMO (IMDG):	
Proper Shipping Name:	Flammable liquids, n.o.s., (ethyl methacrylate, acrylic esters), 3, PGIII
Class or Division:	3
UN or ID Number:	UN1993
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash point = 43°C

SECTION XV: REGULATORY INFORMATION



International Regulations

<p>CDSL: Canadian Inventory (on Canadian Transitional List)</p>	<p>Ethyl methacrylate DSL regulatory status: Included, WHMIS: B2: flammable liquid, D-2B: Toxic Tetraethyleneglycol diacrylate DSL regulatory status: Included, WHMIS: not listed Hydroxycyclohexyl phenyl ketone DSL regulatory status: Included, WHMIS: not listed D&C Violet #2 DSL regulatory status: Included, WHMIS: not listed</p>
<p>EINECS: European Inventory:</p>  	<p># UV GEL TOP COAT:</p> <ul style="list-style-type: none"> HAZARD SYMBOLS: Xi, F: Irritant, Flammable RISK PHRASES: R11: highly flammable, R36/37/38: Irritating to eyes. respiratory system and skin R43: may cause sensitization by skin contact <p>SAFETY PHRASES:</p> <p>S2: keep container in a well ventilated place, S9: keep container tightly closed S16: keep away from sources of ignition- no smoking, S29: do not empty into drains S33: Take precautionary measures against static discharges</p>

SECTION XVI: OTHER INFORMATION

Hazard Rating System (Pictograms)

NFPA: HMIS:

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.